

- Local Health Departments

NATALITY

TOTAL LIVE BIRTHS			40	Birth Order		Births	Percent	Marital Status of Mother			Births	Percent	
Crude Live Birth Rate			5.8	First		22	55	Married			25	63	
General Fertility Rate			34.4	Second		8	20	Not married			15	38	
				Third		8	20	Unknown			0	0	
Live births with reported congenital anomalies			3	Fourth or higher		2	5						
			%	Unknown		0	0						
				First Prenatal Visit		Births	Percent	Education of Mother			Births	Percent	
Delivery Type			Births	Percent	1st trimester		34	85	Elementary or less			0	0
Vaginal after previous cesarean			0	0	2nd trimester		3	8	Some high school			7	18
Forceps			2	5	3rd trimester		3	8	High school			15	38
Other vaginal			29	73	No visits		0	0	Some college			14	35
Primary cesarean			4	10	Unknown		0	0	College graduate			4	10
Repeat cesarean			5	13					Unknown			0	0
Other or unknown			0	0									
					Number of Prenatal Care visits		Births	Percent	Smoking Status of Mother			Births	Percent
Birthweight			Births	Percent	No visits		0	0	Smoker			8	20
<1,500 gm			0	0.0	1-4		3	8	Nonsmoker			32	80
1,500-2,499 gm			0	0.0	5-9		7	18	Unknown			0	0
2,500+ gm			40	100.0	10-12		15	38					
Unknown			0	0	13+		15	38					
					Unknown		0	0					

Race of Mother	Births	Percent	Low Birthweight (under 2,500 gm)		Trimester of First Prenatal Visit					
			Births	Percent	1st Trimester		2nd Trimester		Other/Unknown	
White	38	95	.	.	32	84	3	8	3	8
Black	0	0
Other	2	5	*	.	*	.	*	.	*	.
Unknown	0	0

Age of Mother	Births	Fertility Rate	Low Birthweight (under 2,500 gm)		Trimester of First Prenatal Visit					
			Births	Percent	1st Trimester		2nd Trimester		Other/Unknown	
<15	0	--
15-17	3	.	*	.	.	.	*	.	*	.
18-19	5	.	.	.	3	60	1	20	1	20
20-24	11	.	.	.	10	91	1	9	.	.
25-29	10	.	.	.	9	90	1	10	.	.
30-34	6	.	.	.	6	100
35-39	5	.	.	.	5	100
40+	0
Unknown	0	--

Teenage Births

8

.

* Not reported: age or race category has less than 5 births

----- MORBIDITY -----

REPORTED* CASES OF SELECTED DISEASES

<u>Disease</u>	<u>Number</u>
Campylobacter Enteritis	0
Giardiasis	<5
Hepatitis Type A	0
Hepatitis Type B**	0
Hepatitis NANB/C	<5
Legionnaire's	0
Lyme	0
Measles	***
Meningitis, Aseptic	0
Meningitis, Bacterial	0
Mumps	***
Pertussis	***
Salmonellosis	0
Shigellosis	0
Tuberculosis	0

* 2000 provisional data

** Includes all positive HBsAg test results

*** Unavailable at time of printing

Sexually Transmitted Disease

Chlamydia Trachomatis	6
Genital Herpes	0
Gonorrhea	0
Syphilis	0

----- IMMUNIZATIONS -----

Children in Grades K-12 by Compliance Level

Compliant	991
Non-compliant	6
Percent Compliant	99.4

----- MORTALITY -----

Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths.

TOTAL DEATHS	84
Crude Death Rate	1,224

<u>Age</u>	<u>Deaths</u>	<u>Rate</u>
1-4	.	.
5-14	.	.
15-19	.	.
20-34	.	.
35-54	.	.
55-64	8	.
65-74	14	.
75-84	34	5,934
85+	25	11,737

Infant

<u>Mortality</u>	<u>Deaths</u>	<u>Rate</u>
Total Infant	3	.
Neonatal	.	.
Postneonatal	3	.
Unknown	.	.

Race of Mother

White	3	.
Black	.	.
Other	.	.
Unknown	.	.

Birthweight

<1,500 gm	1	.
1,500-2,499 gm	.	.
2,500+ gm	2	.
Unknown	.	.

Perinatal

<u>Mortality</u>	<u>Deaths</u>	<u>Rate</u>
Total Perinatal	.	.
Neonatal	.	.
Fetal	.	.

<u>Selected Underlying Cause</u>	<u>Deaths</u>	<u>Rate</u>
Heart Disease (total)	29	423
Ischemic heart disease	20	292
Cancer (total)	22	321
Trachea/Bronchus/Lung	5	.
Colorectal	1	.
Female Breast	.	.*
Cerebrovascular Disease	7	.
Lower Resp. Disease	4	.
Pneumonia & Influenza	2	.
Accidents	1	.
Motor vehicle	.	.
Diabetes	3	.
Infectious & Parasitic	.	.
Suicide	.	.

* Rate for female breast cancer based on female population.

ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH

Alcohol	.	.
Other Drugs	.	.
Both Mentioned	.	.

----- MOTOR VEHICLE CRASHES -----

Note: These data are based on location of crash, not on residence.

<u>Type of Motor Vehicle Crash</u>	<u>Persons Injured</u>	<u>Persons Killed</u>
Total Crashes	61	2
Alcohol-Related	13	1
With Citation:		
For OWI	10	0
For Speeding	2	0
Motorcyclist	5	0
Bicyclist	0	0
Pedestrian	1	0

HOSPITALIZATIONS

DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita
------------------------	--------	---------------------	---------------------------	-------------------	-------------------------

Injury-Related: All

Total	35	5.1	4.9	\$12,205	\$62
<18	1
18-44	4
45-64	11
65+	19

Injury: Hip Fracture

Total	7
65+	7

Injury: Poisonings

Total	2
18-44	1

Psychiatric

Total	27	3.9	7.6	\$6,078	\$24
<18	5
18-44	14
45-64	5
65+	3

Coronary Heart Disease

Total	42	6.1	3.4	\$16,393	\$100
45-64	11
65+	31	19.5	3.6	\$16,657	\$325

Malignant Neoplasms (Cancers): All

Total	19
18-44	1
45-64	8
65+	10

Neoplasms: Female Breast (rates for female population)

Total	1
-------	---	---	---	---	---

Neoplasms: Colo-rectal

Total	2
65+	2

Neoplasms: Lung

Total	1
-------	---	---	---	---	---

Diabetes

Total	6
65+	6

DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita
------------------------	--------	---------------------	---------------------------	-------------------	-------------------------

Alcohol-Related

Total	28	4.1	9.0	\$6,386	\$26
18-44	23	11.0	9.0	\$5,679	\$62
45-64	3

Pneumonia and Influenza

Total	11
<18	2
45-64	2
65+	7

Cerebrovascular Disease

Total	18
45-64	3
65+	15

Chronic Obstructive Pulmonary Disease

Total	12
<18	0
18-44	0
45-64	4
65+	8

Drug-Related

Total	3
18-44	1

Total Hospitalizations

Total	479	69.8	4.1	\$8,800	\$614
<18	66	49.5	2.2	\$2,826	\$140
18-44	107	51.0	4.4	\$5,454	\$278
45-64	115	62.6	4.5	\$10,231	\$641
65+	191	120.1	4.5	\$11,879	\$1,426

----- PREVENTABLE HOSPITALIZATIONS* -----

Total	54	7.9	3.5	\$6,318	\$50
<18	5	3.7	1.4	\$3,045	\$11
18-44	0	0.0	.	.	.
45-64	18	9.8	3.3	\$5,935	\$58
65+	31	19.5	4.0	\$7,068	\$138

* Hospitalizations for conditions where timely and effective ambulatory care can reduce the likelihood of hospitalization. The definition of preventable hospitalizations in 2000 is consistent with the 1997 definition. Please refer to the note at the bottom of this page in the 1997 report for an explanation of the change made between 1996 and 1997.